David Martin Exposes Timeline of Biggest Democide in Recorded History (Videos)

Greg Reese May 26, 2023

Watch and share this must-see video!

Greg Reese dives into a recent viral speech delivered by Dr. David Martin to the EU Parliament focused on the COVID-19 bioweapon released on humanity.

https://banned.video/watch?id=6471236b1cd98dc354c67c96

COVID-19 Linked To Long-Term Decline In Sperm Quality: Study Jul. 10, 2023 Jessie Zhang

har harring a financial control for the first and a control of the first of the control of the Andrea dec Months of exhaustion, persistent loss of taste and smell, blood clotting issues, and now low sperm count. The list of long-term side effects of COVID-19 continues to expand.

Men, even if their symptoms are mild, experience a decrease in semen quality up to three months after recovering, according to a new study.

"We assumed that semen quality would improve once new sperm were being generated," said Rocio Núñez-Calonge, who holds a doctorate in biology and is a scientific advisor at UR International Group at the Scientific Reproduction Unit in Spain. "But this was not the case."

Concerns About Permanent Damage and Febrility Adding the profession of the control of the first the control of the control of the control of the control of

The small study was conducted in Madrid, Spain, and examined 45 men with mild COVID-19 diagnoses. Half of the participants experienced a 57 percent decrease in total sperm counts post-diagnosis. Sperm motility fell from 49 to 45 percent.

Additional findings showed a 20 percent reduction in semen volume, a 26.5 percent decrease in sperm concentration, and a decline in the number of live sperm from 80 to 76 percent.

Even 100 days after recovering from the infection, there was no noticeable improvement in sperm quality, despite the expected production of new sperm during that period.

"We do not know how long it might take for semen quality to be restored," Ms. Núñez-Calonge said. "And it may be the case that COVID has caused permanent damage, even in men who suffered only a mild infection." There is no need for immediate concern, according to Dr. Carlos Calhaz-Jorge, a renowned fertility specialist in Portugal. The study shows the significance of long-term monitoring of fertility patients following a COVID-19 infection, even if it is mild, he noted.

Karlingalan karang at kalang arang kang tang belar karang belang belang belang belang belang belang belang bel

"However, it's important to note that the semen quality in these patients after a COVID infection is still within the World Health Organization's criteria for 'normal' semen and sperm," Dr. Calhaz-Jorge said. "So it is unclear whether these reductions in semen quality after a COVID infection translate into impaired fertility, and this should be the subject of further research."

Cause of Semen Quality Decline Unknown

Ms. Núñez-Colange said that inflammation may be a contributing factor. "The inflammatory process can destroy germ cells by infiltrating the white blood cells involved in the immune system and reduce testosterone levels by affecting the interstitial cells that produce the male hormone," she noted in a press release.

The researchers conducting the study have raised questions about the direct impact of SARS-CoV-2—the virus causing COVID-19—on the decline in semen quality.

"There are likely to be additional factors that contribute to long-term sperm parameters decrease, but whose identity is currently unknown," Ms. Núñez-Colange added.

Doctors are also concerned about the potential long-term effects of COVID-19 vaccinations on sperm quality and fertility. "Everyone should be concerned," said Dr. Jane Orient, an internal medicine doctor with over 40 years of clinical experience.

"We don't have any long-term studies, and we can't because the vaccines haven't been around that long," she added. "But there have been signals coming from fertility clinics—that they can't make viable fetuses, and they're also having trouble getting sperm to work. These are anecdotal reports."

The study aims to investigate further and monitor the participants to assess whether the observed effects on fertility are temporary or permanent.

How to Maintain a Healthy Sperm Count

医神经 医多种皮肤的 化甲酚苯甲甲酚

An extensive study conducted from 1973 to 2018 revealed a significant global decline in sperm count, linked to factors such as endocrine-disrupting chemicals and unhealthy lifestyles.

en grin principle de la librario est

As endocrine-disrupting chemicals and unhealthy lifestyle behaviors are two of the main reasons behind declining sperm count, Shanna Swan, a leading environmental and reproductive epidemiologist holding a doctorate in statistics and author of the study, said people can start by working on reducing those exposures.

Read more here...

Description of the Committee of the Comm

The second of the second s to the same of the control of the same of the control of the contr Service of the servic

Acquires a calvinal and

Differential and the second of the first transfer and the second of the second of the second of the second of

'Alarming' Sevenfold Increase In Stevens-Johnson Syndrome Linked To COVID-19 And Vaccine

JULY 10, 2023 Megan Redshaw, J.D.

A sudden increase in Stevens-Johnson syndrome (SJS)—a rare and potentially fatal skin disorder—may be triggered by COVID-19, increased vaccination rates, or a lowered threshold caused by vaccines or previous infection, according to a large case series <u>recently published</u> in *Burns*.

Researchers with the burns unit at Concord Repatriation General Hospital in Australia saw two to four cases of SJS, or toxic epidermal necrolysis (TEN), per year prior to COVID-19. In the first six months of 2022 alone, the same burn center observed a sevenfold rise in cases.

Of the 14 reported cases, five patients had COVID-19 a month before developing SJS/TEN, and three of 14 patients received a COVID-19 vaccine one month prior. Not a single case of SJS/TEN was reported in an unvaccinated individual.

Researchers said the rarity of the condition and presence of medications known to trigger the disease make the link difficult to prove, but the rapid rise in cases since the beginning of the pandemic and vaccine rollout is "alarming."

SJS/TEN is a <u>severe hypersensitivity condition</u> where the skin develops rashes, blisters, and peels forming painful areas that resemble a severe hot water burn. Mucous membranes, including the eyes, genitalia, and mouth, are often affected or severely damaged, leading to sepsis, pneumonia, infection, or death.

Although SJS and TEN were once considered separate conditions, they are now <u>part of the same disease</u>—with SJS representing the less severe end of the disease spectrum and TEN representing the most severe.

Medications, including epilepsy medicines, antibiotics, and anti-inflammatory painkillers, are the chief cause of SJS/TEN, but certain viruses and vaccines can also cause the condition. Due to its potentially fatal nature, SJS/TEN is considered a medical emergency, and patients are treated in burn units.

Researchers' 3 Théorles for Sudden Rise in SJS/TEN Cases

The researchers proposed three theories for the sudden increase in SJS/TEN cases.

and the control of the control of the control of the first of the control of the

Virus-Induced

The first theory is that the SARS-CoV-2 virus may induce SJS/TEN by directly binding to receptors that trigger a T-cell-mediated response. Other viruses known to cause SJS/TEN include the herpes simplex virus, Epstein-Barr virus, and influenza.

and the first territory to be a first to the company of the property of the company of the company of

Vaccine-Induced

A second theory is that COVID-19 vaccines may directly bind to cell receptors that trigger SJS/TEN and influence the body's T-cell immune response initiating SJS/TEN. This T-cell response peaks at seven and 28 days post-vaccination, consistent with the observed cases.

Of the three cases attributed to vaccination in the study, two patients had received an mRNA vaccine, and one received a viral vector vaccine within a month of developing SJS/TEN. Researchers identified eight other cases of SJS following COVID-19 vaccination in published literature—four were associated with mRNA vaccines, three with viral vector vaccines like AstraZeneca and Johnson & Johnson, and one with a whole virus vaccine.

3-2

According to the U.S. Vaccine Adverse Event Reporting System (VAERS), <u>198 cases</u> of SJS/TEN following COVID-19 vaccination were reported between Dec. 14, 2019, and June 23, 2023. Historically, VAERS has been shown to report fewer than <u>1 percent of actual vaccine adverse events</u>, which means other cases of SJS/TEN may have occurred but were unreported.

Threshold Lowering

The third theory proposed by the authors is that developing a COVID-19 infection or receiving a vaccine "primes" the immune system, lowering the threshold for a drug to trigger SJS/TEN.

Read more here...

or and the real of gridley are most making the part of each of wast sometiment relies are confi-Overcollands access with edical dangerals. The forested force a coorday to be presided and and the modernic was a second control of the second control of the second control of the second there is a surrent revolution of the metal of the property of the property of the property of the property will be a surrent of the property o g designed with the rest for the production of the production of the configuration of the configuration of the The Notice of the Section of the measure being it to be the Colonia and the continue to the colonial transfer de la ligación de la completa de la riche do professorio de atomós lateraria, do reculer la da enviar atomós do encuentral do atomó vindo de este e path at the a separate of the second path a state of that the path of the path of the path of the path of the p The section of the company of the co THE REPORT OF THE PROPERTY OF We man for the character of the control of the cont vivo all'illevice per l'imperiore de primer de la lation de l'apprend de la latin de la latin de la compete di because the most reason and increase compositions represent to a committee brook set on one and epinger the least an arrest process and should be the energy of the minute of the states of the of the state of the s Consideration Africa and

. Springer state of the company of the production of the contract of the contract of the contract of the contract



Australia's Fertility Rates Plummet to Lowest Level on Record Frank Bergman July 8, 2023

SHANNER OF

lo successiva de la composició de la com Fertility rates in Australia have plummeted this year to the lowest levels the nation has ever recorded. In the past two years, the number of births recorded in public maternity has dropped sharply. According to a new report, fertility rates have just hit a record low. monuscope properties at the properties of the pr

The number of new births has now dropped so low that it is far below the level needed for population Testerinague entre l'este e bapare mérassistificament de benevos 190 medit constitut de l'este de

Experts are warning of a "baby drought" as the birthrate continues to fall.

Catalons of daile structure as addition in also day that used vice the sound of the According to the report from Australia's 7 News: CONTRACTOR TO THE RESIDENCE OF THE CONTRACTOR OF THE SECOND OF THE SECON

"It's currently at around 1.7, below the 2.1 rate needed for a stable population."

"During the first three months of this year, the number of births in public maternity wards in New South Wales was the lowest since records began 13 years ago." the property of the second of the second

Australia isn't the only nation suffering plummeting fertility rates, however.

The property of the property o As Slay News previously reported, experts have been raising the alarm in Japan as the fertility rate has reached dangerously unsustainable levels.

The Japanese population is now shrinking as excess fatalities have increased death rates to outweigh the number of people being born.

According to CNN, Japan's fertility rate of 1.3 is far below the rate of 2.1 required to maintain a stable population. It's a familiar story throughout East Asia. and production with the state of the state of

ranger and a second programment of the second second and the second and the second and the second and the second

South Korea's fertility rate — already the world's lowest — dropped yet again last year in the latest setback to the country's efforts to boost its declining population.

Meanwhile, China's population shrank in 2022 for the first time since the 1960s

Experts on divided on the cause of the plummeting fertility rates, however,

and the overfix and the first the six separations of this are twicted from the old the first to the first of the The corporate media argues that low immigration numbers in Asian countries are causing populations to shrink. They also argue that "climate change" is impacting birth rates. Him. After the goal of the form one assessment the self-instrument

Some globalist experts insist that people are holding off starting a family due to fears of another pandemic or the alleged "<u>climate crisis."</u>

However, they fail to explain why fertility rates have been plummeting severely in the past two years. According to independent journalist JD Rucker, the establishment media and their allies are ignoring the obvious.

"Ever since the rollout of Covid-19 'vaccines,' evidence started emerging that they caused reproductive damage The source of the second secon to recipients," Rucker writes.

rom in period galaciente de Proposito de Augusta de Proposito de Proposito de Proposito de Proposito de Proposi

"These pieces of evidence were 'debunked' in the beginning.

"Such gaslighting continued throughout the vaxx-pushing phase of Pandemic Panic Theater.

Electrical and a second and the contraction of the second and the

tablet by only dealers between the stone ski

"Only recently have corporate media outlets started acknowledging bits and pieces of truth, conveniently after the vast majority of those who would get jabbed already did."

"They'll blame climate change. They'll blame racism. They'll blame conservatives," Rucker adds.

"But the one thing the powers-that-be won't ever mention is the obvious culprit: The Covid-19 'vaccines' cause infertility."

en de la proposition de la comprese La comprese de la comprese del comprese del comprese de la comprese della c

Table Research School between the treatment of the State of the State

- Tebe Ether voor poor verbeeck voorde ethor die Eele-ergaa persone, er dee Verde Prever annoe in Propositie Sherrich voorde voor voorde ekalisate er De Discherby dan sandheer Berengaar (Daingherper) water Indel Dische ekalisher voorde eele eele

 - and the control of th
- and the second of the second

enter de la compartición de la comp La compartición de la compartició



Is It The Vax? Peru Declares 'National Health Emergency' as Guillain-Barre Cases Surge

Adan Salazar July 11, 2023

Many questioning if GBS outbreak linked to Covid-19 jab in highly-vaccinated Peru.

'Guillain Barré syndrome' listed as known side effect in FDA draft list of Covid-19 vaccine 'possible adverse event outcomes.'

The South American country of Peru has declared a nationwide emergency as it experiences a bizarre outbreak of Guillain-Barré Syndrome (GBS), prompting many to suspect the experimental Covid-19 vaccine could be to blame as most of the country's populace received the jab.

Peru's Health Ministry announced the 90-day emergency on Saturday citing an "unusual increase" in GBS cases. "Since June 2023, 182 cases have been reported nationwide, of which 147 have been discharged, 31 remain hospitalized, and four have died," reported South American media MercoPress News on Monday.

According to the <u>National Institutes of Health</u>, Guillain-Barré "is a rare neurological disorder in which your immune system mistakenly attacks part of the peripheral nervous system—the network of nerves located outside of the brain and spinal cord."


Guillain-Barré has a long history of being a severe adverse reaction associated with several vaccines, including the swine flu vaccine of 1976 which led to thousands of GBS cases and over 25 deaths in the US.

The CDC lied about the swine flu vaccine, and it resulted in 53 deaths and 4,000 cases of Guillain-Barré syndrome. No one had to fall on their sword. Why should we trust people who have ZERO accountability?pic.twitter.com/xA4ku42HA2

— Xeriland (@Xeriland) <u>November 28, 2021</u>

The debilitating neurological vaccine side effect again reared its ugly head as the FDA held a virtual meeting evaluating the experimental Covid-19 jab for public use.

At one point during a slideshow presentation regarding the jab in October 2020 – two months before it was released to the public – the <u>FDA inadvertently flashed on-screen a draft list of Covid-19 vaccine "possible adverse event outcomes,"</u> the first of which was "Guillain Barré syndrome."





side effects accidentally shown at FDA presentation 2020 appeared for split second at 2:33:40 of original timing of FDA presentation Oct 22nd. During that split sec, screen showed adverse effects of which FDA knew about in Oct 2020, even before they allowed it. pic.twitter.com/y85PaD4tsR

— ‰ (@gawjus_g) July 28, 2021

GBS cases were so prevalent following the Covid jab rollout that vaccine manufacturer <u>Johnson & Johnson was ordered by the FDA</u> to add a warning acknowledging Guillain-Barré was a known possible adverse reaction.
GBS cases have also been observed in recipients of the <u>Pfizer</u>, <u>Moderna</u> and <u>AstraZeneca</u> jabs.

The disorder's history of being associated with vaccines, in addition to the country's <u>extremely high coronavirus</u> <u>vaccination rate</u>, prompted many on social media to speculate the jab could be behind the GBS spike. https://t.co/cW4h2zvgWd pic.twitter.com/eiMuJxNMAM

- Jake Shields (@jakeshieldsajj) July 10, 2023

Perú has an outbreak of Guillain-Barré syndrome. Huge. everybody I ask including medical experts, think it's the Covid jabs. What do you think? Yes or no. Let me know below <u>pic.twitter.com/POLCBsp3Yw</u>

— Erin Elizabeth Health Nut News 🙌 (@unhealthytruth) <u>July 10, 2023</u>

Peru has declared a state of emergency after a shocking rise in cases of Guillain-Barre syndrome

This once rare autoimmune disease attacks the nervous system leading to muscle weakness & sometimes paralysis/death

Once can only wonder what's causing it...https://t.co/YYDQplJfBf

— DC_Draino (@DC_Draino) July 10, 2023

Peru Declares 'National Health Emergency' over Soaring Guillain-Barre Syndrome Cases
Peru is not alone, however, as cases of Guillain-Barré syndrome have been spiking around the world following the introduction of the mRNA Covid shots. https://t.co/qXnhVEW5BA

- Wittgenstein (@backtolife_2023) July 10, 2023

Peru — interesting outbreak reported. Especially interesting to all the countries Peruvians are traversing to United States. I see Peruvians almost daily illegally crossing into USA when am in high traffic areas.


Also notable in Peru in 2019: https://t.co/TT1NLrHWel — Michael Yon Jungle (@Michael_Yon) July 10, 2023

Texas-based epidemiologist Dr. Peter McCullough called on the cases to be individually investigated for possible vaccine injuries.

Each case needs documentation of COVID-19 and C19vax in the background. #CovidVaccines cause GBS. Have seen cases in my clinical practice. Always regret taking the shot. #courageousdiscourse https://t.co/Rmiw3S5Q69 https://t.co/4ugbfbbhLA

— Peter A. McCullough, MD, MPH™ (@P_McCulloughMD) July 10, 2023

This isn't the first time the country's contended with GBS. Peru also <u>declared a health emergency in five</u> <u>regions</u> in 2019 after experiencing a GBS outbreak caused by an outbreak of the bacterial infection known as Campylobacter.



08/25/2023 Ethan Huff

When even the mainstream media is <u>admitting that</u> messenger RNA (mRNA) Wuhan coronavirus (Covid-19) "vaccines" are dangerous and "produce viral shedding," you might want to pay attention. This is the shocking admission in a new piece from *EVIE* magazine, which is warning its readers to avoid having sexual relations with men who got jabbed for covid because their bodies are likely spreading spike proteins and other deadly substances in the process.

"Shocker, it's not just a conspiracy!" warns *EVIE*'s Andrea Mew. "New evidence has emerged suggesting that mRNA vaccines can produce viral shedding. So, perhaps you're justified after all for being pretty picky about your sexual partner."

(Related: Earlier this year, research published by French pharmacologist Dr. Helene Banoun in the journal *Infectious Diseases Research* found that those who take covid injections do, in fact, shed their contents onto others, including sexual partners.)

mRNA "rewrites the way your cells function" and "can interact with and change DNA," EVIE reveals

In Mew's piece for *EVIE*, she references research showing that aerosolized antibodies from mRNA covid injections can be transmitted from vaccinated to unvaccinated individuals through a process called "passive immunization."

This might sound like a good thing, she writes, in that it implies that one is sharing "immunity" with another – "But it's not so simple," she warns.

"Some critics, like podcaster Joe Rogan, have pointed out how the very nature of this 'vaccine' likens it more to experimental gene therapy than your typical vaccine," Mew further states.

"It's true, what we're currently dealing with are mRNA vaccines, not live attenuated vaccines. The latter contains a weak form of the virus that is meant to cause an immune response upon injection and therefore provide future immunity."

Mew goes to great lengths to unpack what we here at *Natural News* and many others across the independent media spectrum have been warning you about for *years*, only to be dubbed "conspiracy theorists" by the corporate-controlled media.

It appears that things are changing, though, as a popular magazine for modern women is warning them to steer clear of men who got pricked by Tony Fauci and Donald Trump through Operation Warp Speed. In addition to "rewrite[ing] the way your cells function so that you can inherently prevent disease through protein production," Mew further explains that mRNA jabs also have the ability to "interact with and change DNA."

"For instance, we know that the Covid shot wasn't developed to interact with the human liver, and yet in a Swedish study, researchers discovered that the vaccine was altering liver cells," Mew writes.

"Then, in a **Pfizer Japanese biodistribution study**, news emerged that the spike proteins could travel from the injection site through your blood and accumulate in unintended tissues and organs like the spleen, adrenal glands, ovaries, bone marrow, and again, the liver."

Then we have the risk of myocarditis, as well as blood that becomes contaminated with "full-length spike protein" that is "unbounded by antibodies," not to mention the specific risks to women involving menstrual irregularities and potential birth defects.

Mew even references the aforementioned Banoun study, as well as another out of Colorado showing that fully vaccinated parents can transfer mRNA antibodies "via respiratory droplets" to their unvaccinated children.

If face masks actually worked (spoiler alert: *they don't*), then they would come in handy to protect one's unvaccinated self against contracting an mRNA covid injection through the aerosolized respiratory droplets of a fully vaccinated person.

"In the quest to advance modern medicine, we shouldn't shy away from tough topics just because they may go against preconceived biases," Mew writes in conclusion about these difficult truths. It is fast becoming common knowledge that Fauci Flu shots are a high-risk endeavor that **renders the fully jabbed undatable**. Learn more at <u>ChemicalViolence.com</u>.

German Pathologist Warns Women Not to Have Kids With Men Who've Been Covid Jabbed (Video)

June 2023

https://rumble.com/v2rtl90-german-pathologist-warns-women-not-to-have-kids-with-men-whove-been-covid-

Zero Young Healthy Individuals Died Of COVID-19, Israeli Data Show MAY 29, 2023 Lia Onely

Zero healthy individuals under the age of 50 have died of COVID-19 in Israel, according to newly released data.

"Zero deceased of 18–49 years of age with no underlying morbidities," the Israel Ministry of Health (MOH) said in response to a formal request from an attorney.

Officials noted that the statement only applies to COVID-19 deaths where the MOH conducted an epidemiological investigation and had received information about the underlying diseases.

"Zero is a very, very clear number, and cannot be subject to interpretation," Yoav Yehezkelli, a specialist in internal medicine and medical management, and former lecturer in the Department of Emergency and Disaster Management at Tel Aviv University in Israel, told The Epoch Times.

"Why were all the extreme measures of school closures, vaccination of children, and lockdowns needed?" he added.

The MOH did respond to a request for comment.

Freedom of Information Request

endo debero de dadirio entre sontic

The information was sparked by a freedom of information request filed by attorney Ori Xabi, who has been filing several such requests as <u>he seeks</u> to obtain information from the MOH regarding the COVID-19 pandemic and COVID-19 policies.

Xabi asked to know the average age of people who died of COVID-19, segmented by vaccination status at the time of death; how many COVID-19 patients with no underlying morbidities under the age of 50 died; and the annual number of cardiac arrest cases between 2018 to 2022.

According to the MOH response, the average age of vaccinated COVID-19 patients who died was 80.2 years. The average for the unvaccinated was 77.4 years.

The MOH emphasized that the data they have about the underlying diseases of patients is partial since it relies on information provided by the patients or their relatives, if they chose to do so. And then, only in cases in which the MOH conducted an epidemiological investigation.

Therefore "the available information does not necessarily reflect the health status of the patient" the MOH wrote adding that they do not have access to the patients' medical records.

It is not clear why the MOH responded to Xabi's request using only cases where the MOH had conducted an epidemiological investigation, and which was limited to deceased patients where the families had cooperated, since in 2020 the MOH told the Israeli Knesset—the Israeli parliament—that they use an intelligence system that provides the MOH with extensive information about deceased patients that included "underlying diseases."

A document (pdf) from the Knesset Research and Information Center, dated June 7, 2020, stated that the MOH provided data to the Special Committee for the New COVID Virus about COVID-19 deaths—298 by that day at 4:30 p.m.—at the request of Yifat Shasha-Biton, a member of the Knesset, and the chair of that committee.

The ministry's intelligence system has data on gender, age, district of residence, and the underlying diseases of the deceased, according to the document. The system showed that about 94 percent of the deceased were 60 years or older and that there were no deceased with zero underlying diseases.

In addition, on May 4, 2020, the Medical Directorate of the MOH in a letter (pdf) issued instructions to the heads of the hospitals and the medical departments of the Health Maintenance Organizations—national health care organizations—on how to fill out COVID-19 death notices, directing them to include underlying diseases.

In a December 22, 2020 letter (pdf) the Medical Directorate to the managers of the hospitals stated that for every COVID-19 patient who died during the acute phase or due to complications of the illness later, or people who were positive for COVID-19 who died, a death notice and a summary of the case "must be sent to the COVID war room of the MOH."

They said the purpose was "to improve surveillance."

"It's a bit naive" for the MOH to say they do not have the full data and access to the death certificates said Yehezkelli, who was also a founder of a team that advises the MOH's director general.

Yet this response from the MOH is meaningful, said Yehezkelli as "it finally reveals the truth."





'False Presentation'

Studies and other data, including a study led by Stanford epidemiologist John loannidis, show that COVID-19 mortality, even with the original variant, was largely age-dependent.

"It was definitely a disease that actually only endangered the elderly," Yehezkelli said.

Over the age of 60, mortality doubled every 5 years while under that age mortality was negligible, and "now we really see that it was zero under the age of 50, at least."

The MOH's response showed that the average age of the COVID-19 deceased is about 80 years of age, which also indicates that "this is a disease of the elderly, almost exclusively," said Yehezkelli.

"That only means that what we were told for 3 years was not true," he said.

There may not have been many young people who got seriously ill, yet the MOH had emphasized cases of pregnant women hospitalized in critical condition and young healthy people who died because of COVID-19. It was not the true situation, he said.

"They created a false presentation of a very severe epidemic that affects the entire population and therefore the entire population should also be vaccinated, regardless of age," said Yehezkelli.

If we are talking about people under the age of 50 that means that no pregnant women actually died of COVID-19, he said. The justification given for vaccinating pregnant women, young people, and children was that they too are affected by COVID-19.

It was known back then that this was not the case "and we now see it clearly," Yehezkelli said, asserting that the MOH has "lost the public's trust" by making a "false presentation" of the dangers of COVID-19.

Cardiac Arrest Data

In response to Xabi's recent FOI, the MOH provided the number of cardiac arrest cases from 2018 to 2020. They added, "The information for the years 2021–2022 does not exist in the office."

The MOH explained that "The registration of the causes of death of deceased persons is carried out, in accordance with the notification of death," by the Central Bureau of Statistics, adding "the data for the years 2021–2022 have not yet been transferred to the Ministry of Health."

A <u>study</u> published in April 2022 that analyzed the dataset of the Israel National Emergency Medical Services (EMS) found a 25 percent increase in EMS calls due to cardiac arrests among 16- to 39-year-olds between January–May 2021. The COVID-19 vaccine rollout began in December 2020.

Retsef Levi, a professor at the Massachusetts Institute of Technology Sloan School of Management, was one of the researchers of the study.

The MOH objected to the findings of the study in a <u>post</u> on Twitter where they said that "there is no connection between the EMS calls that were analyzed in the study and the COVID vaccines."

In a MOH <u>webinar</u> on Oct. 8, 2021, about the effectiveness and the safety of the COVID vaccines, Dr. Sharon Elroy-Pries, the head of Public Health Services at the Israel MOH said regarding Levi's study: "This is one of the biggest fake news I have seen."
"The National Center for Disease Control did a very comprehensive analysis—including of the data of that study, [which were] EMS calls," she said adding that "there was nothing. No more [cases of] heart attacks. No more calls to the ER."

She continued by saying that "in the mortality data from the beginning of 2021, you don't see an increase in mortality except for COVID mortality. That is, if we look at excess mortality in the State of Israel we see it precisely at the peaks that were peaks of [COVID] morbidity in the State of Israel."

"When you remove the ... morbidity from COVID at all ages, one sees either the same mortality rate as in previous years, or less," she said, adding "there is no increase in heart attacks here."

In a February 2023 meeting of the Health Committee of the Knesset for extending the COVID special powers law, Elroy-Pries reiterated that the MOH does have access to COVID mortality data.



"COVID has killed over 12,000 people in the State of Israel," she said at the meeting, explaining further that this figure is known since "from the beginning of the epidemic, the Medical Directorate received people's death certificates."

When asked about whether there is an increase in cardiac arrest cases in Israel among young people, Elroy-Pries said, "We do not see an increase in the death of young people," adding "We're checking it. We're looking for it."

Levi said to The Epoch Times that the MOH attacked him personally and the EMS, and asked "If they don't have data for 2021 and 2022 [according to the FOI], then how can they know that they don't have an increase [in cardiac arrests]?"

When the MOH says things that are contrary to science, said Levi, or are "contrary to the facts on a regular basis, you must ask yourself the question: are they doing it because they didn't bother to read the science, or are they doing it even though they ... read the science."

parama di Propinsi di Parama d

"Both scenarios are very serious," he added.

Vaccines Saved 'Millions Around the World': MOH

The MOH did not reply to a request for comment from The Epoch Times.

Yet about 2 hours after sending the request on May 25, the agency posted on its Twitter account a statement regarding Xabi's FOI.

"Following the manipulation that has been taking place in recent days regarding one of the Ministry of Health's [reply to] Freedom of Information requests, we will clarify that the answers to the requests submitted under the Freedom of Information Law are, naturally, answered directly to the specific question that was asked.

"In this case, the ministry was asked about mortality data and underlying diseases. The Ministry of Health 'does not have' access to the medical file [of patients], therefore information is only based on cases where an epidemiological investigation was carried out and the person or his family answered the question [regarding underlying morbidities]. Therefore, this is very limited information. This was of course clearly written in the answer [to the FOI].

"We will clarify: So far, 356 young people (18-49 years of age) have died of COVID.

"Of these, only about half have documentation of an epidemiological investigation (184 deceased).

"And only 7.5% (27 deceased) included an answer to the question regarding underlying diseases. The answer was provided based on this information."

"The Ministry of Health is committed to maintaining the health of all citizens and making the information available in the Ministry transparently. This is how we acted [so far] and will continue to act.

"We must not forget that the COVID epidemic has so far killed more than 12,500 people in Israel, caused severe and critical morbidity, and post-COVID symptoms that accompany some of those recovering to this day.

"The vaccination campaign began in the midst of a third lockdown that resulted from an increase in morbidity and mortality and the opening of the economy was made possible thanks to the activation of the green passport, which its purpose was to reduce the risk of infection in mass events.

"The vaccines have saved thousands of people in the state of Israel and millions around the world—the attempt to rewrite history is dangerous." Following an administrative appeal filed by Xabi and colleagues, the MOH committed to publishing all-cause mortality segmented by vaccination status and age by the end of this month.

This <u>appeal is an ongoing case</u> that followed a FOI request submitted to the MOH on Oct. 10, 2021, which was not answered within the time frame according to Israeli law, and the data provided by the agency during a number of hearings since has been incomplete.

the first figure the first figure in the property of the second of the second of the second of the second of t The first figure is the first figure of the second of the s

idan sakiriban dapinga kaniral salaha danah dan sa peperdan daniri dakirinan mengga dapar bahan dan da

ing paggarang panggang digi kanganggan dan panggan panggan panggan panggan panggan panggan panggan panggan pan

gaga at he digita is disease flore belock to be look sekter deer a dittack vale kala indicate a tilbri



COVID Vaccines Show 24 Times More Adverse Reactions Than Others

Jessie Zhang July 29.2023

The latest report on adverse reactions to vaccines in Western Australia has revealed that COVID-19 vaccinations have 24 times the rate of adverse reactions in the state compared to all other vaccines.

According to the state's vaccine safety surveillance report (pdf), COVID-19 vaccines showed that for every 100,000 COVID-19 vaccines administered, 264 adverse events following immunisations (AEFIs) were recorded.

For all other vaccinations, 11.1 AEFIs were recorded, making the COVID-19 vaccines 23.8 times more likely than non-COVID-19 vaccines to result in adverse events.

	de Arreita mesarreita Artikar Stant Armalambiran arbitat dan dan	a cara da francia e vivan armananta a constituir e distributa				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	***
	Vaccine type	Number of v	accines	Number of adva	rse Rai	e of adverse	1
		administered	in 2021	events reported	to even	ts per 100,000	8
1		. 81	gradus -	WAVSS		doses	
	Non COVID-19	1,808,1	50	200	1	111	
	COVID-19	3.044	73	10,428		264.1	1

Table showing

numbers of vaccines administered and adverse events reported, with rate of adverse events, for non-COVID-19 vaccines and COVID-19 vaccines, 2021. (Image from the Department of Health in Western Australia)

The rate of adverse events varied among different types of COVID-19 vaccines.

The Spikevax (Moderna) vaccine recorded 281.4 AEFIs per 100,000 doses, Comirnaty (Pfizer) recorded 244.8, and the Vaxzevria (AstraZeneca) vaccine, which was removed from the vaccine program after reports emerged of blood clotting in younger people, recorded 306.

a filipida karring biliki kabada kalibahan 1981 dan bagarin dan bereba

Adverse events following vaccination can range from mild, such as a sore arm, to serious conditions, such as anaphylaxis, thrombosis with thrombocytopaenia syndrome (TTS), Guillain-Barré syndrome (GBS), myocarditis, and pericarditis.

Collaboration Continues With 3-in-1 Super Jab

Meanwhile, despite these concerns, the Australian government's partnership with Moderna to produce vaccines using experimental messenger RNA technology to prepare for the next pandemic means these vaccines are here to stay.

The company has been forming a trifecta jab to address the main respiratory viruses—influenza, COVID-19, and RSV to maintain its market share amid the falling revenue of vaccine companies as the health crisis subsides.

land Marching on the Sale of the land of the Albert Bellewick of the Marchine the Albert Bellewick of the Sale of Moderna's COVID-19 vaccine sales of U\$\$18.4 billion in 2022 are expected to dive to \$5 billion this year.

Recently, it was granted expedited approval by Australia's authority for medicines for its mRNA-1345 (RSV vaccine), meaning that the company will be able to launch the vaccines in Australia before any other country in the world

A spokesperson from Australia's Therapeutic Goods Administration told the Epoch Times that Moderna was granted an accelerated approval process on March 30 after satisfying all of the following criteria: • the medicine is new

t de la propiesa de la compacta de la co

- the medicine is for the treatment, prevention, or diagnosis of a life-threatening condition

- - no other medicines that are intended to treat, prevent or diagnose the condition are included in the Australian drug
 register or there is substantial evidence that this medicine provides a significant improvement in efficacy or safety of
 the treatment, prevention or diagnosis of the condition compared to those goods already included in the register
 - there is substantial evidence that the medicine provides a major therapeutic advance.

However, phase 3 clinical trials for Moderna's mRNA version of the seasonal influenza vaccine have been underwhelming, showing a high rate of side effects.

Although the vaccine generates a strong immune response against the A strains of the flu, its efficacy against B strains is not better than existing approved vaccines.

The second of the second secon

Additionally, 70 percent of trial participants who received the shot reported adverse reactions such as headaches, swelling, and fatigue compared to 48 percent for the conventional flu vaccine.

Dr. Ryan Cole Explains "Turbo Cancer" From the Jabs (Video)

https://rumble.com/v39sfyi-dr.-ryan-cole-explains-turbo-cancer-from-the-jabs.html

Liverina de Lighte y de la



Large Course Francisco

VIDEO: New E.U. Statistics Prove Covid Vaccine Has Killed Millions, Warns Dr. John Campbell

Infowars.com August 13, 2023

Alex Jones is joined by Dr. John Campbell to discuss the latest statistics out of the EU showing that experimental COVID shot has killed many more millions of people than previously thought.

Barther and the Committee of the Committee The Committee of the Committee

https://banned.video/watch?id=64d8015c3a4bee5842ddfe8b



Growing Number Of Leprosy Cases Reported After COVID-19 Vaccination AUG 11, 2023 Zachary Stieber

na view and the property and and the street of the property of the contract of the contract of the contract of A growing number of leprosy cases are being reported after COVID-19 vaccination, including two cases in the United Kingdom that researchers said may have been caused by the vaccines.

The researchers examined records from the Leprosy Clinic at the Hospital for Tropical Diseases in London. They found that of the 52 people who went to the clinic in 2021, at least 49 were vaccinated.

The study definition of a leprosy adverse event associated with a COVID-19 vaccine included developing leprosy or a leprosy reaction within 12 weeks of receiving a dose and the person having no previous history of leprosy or a leprosy reaction. Two people met the case definition. One developed borderline tuberculoid (BT) leprosy one week after a second dose. The other experienced a reaction 56 days after a dose. Both doses were Pfizer's BNT162b2 vaccine. Pfizer did not respond to a

"The development of BT leprosy and a Type 1 reaction in another individual shortly after a dose of BNT162b2 vaccine may be associated with vaccine mediated T cell responses," the researchers said.

The COVID-19 vaccines can provoke a response from white blood cells, or T cells. The cells are believed to protect against COVID-19.

T-cells can theoretically trigger Mycobacterium leprae, a bacteria that causes leprosy, leading to leprosy or a leprosy reaction, the researchers said.

Other vaccines have been shown to trigger leprosy or leprosy reactions, including tuberculosis vaccines, and some people who receive repeated COVID-19 vaccinations have been shown to have weakened immune systems.

The paper was published on Aug. 4 by PLOS Neglected Tropical Diseases:

More on Findings

The person diagnosed with leprosy is an 80-year-old man who has lived in the United Kingdom for 49 years. He suffered from symptoms including thickened nerves. The leprosy diagnosis was confirmed via skin biopsy. The man may be the first to acquire leprosy in the UK since 1954.

The man improved over time and actually received a third dose of Pfizer's vaccine.

"Interestingly he had a third dose of BNT162b2 vaccine six months after the second dose having started anti-bacterial therapy and experienced no deterioration of his leprosy. The skin lesions and nerve thickening had resolved by the time he completed the six-month course of anti-microbial therapy. There had been no recurrence of the plaques or nerve signs after 12 months," the researchers said.

The reaction was recorded in a 27-year-old man who had taken multidrug therapy, a drug for leprosy, in the past. He developed red plagues and thickened nerves before arriving in the UK from an unidentified country. A biopsy supported the diagnosis. He took medicine and the symptoms improved. Textility of the property of the control of the con

The link between the vaccine and the issue in the second case was strengthened by studies showing people who took the therapy three years or more years before are unlikely to experience a new reaction, the researchers said.

Maria de la companio Of the 52 people who went to the Leprosy Clinic for diagnosis and/or treatment in 2021, all but two reported their vaccination status. Of those 50, 49 were vaccinated. સામાં માર્ગ કરિકે જે તેને માર્ગ કરોકો કેટલા કે લોકો કે એક માર્ગ કરી કરતા છે. તેને મોર્ગ માર્ગ કેટલા પ્રાથમિક

Five of the patients at the clinic were newly diagnosed with leprosy in 2021. Five others had a type one reaction. All were vaccinated, but just one of each category was determined to be possibly caused by a vaccine after being diagnosed within 12 weeks of vaccination. It was not clear when the other four were vaccinated. esel-Clark nelikutak sekitesta ar



15-5

Dr. Barbara de Barros, the study's corresponding author, did not respond to a request for comment. The authors reported no funding or competing interests.

Dr. de Barros and the other UK researchers said that doctors should be aware that COVID-19 vaccination may cause leprosy but that they believe the benefits of COVID-19 vaccination "outweigh these unwanted events." They provided no citations for the benefits of vaccination, which have <u>dropped dramatically</u> as newer variants have emerged and led to <u>more nuanced recommendations</u> in some countries. Citations for scope of harm included <u>a 2021 recommendation</u> from India that people with leprosy receive a COVID-19 vaccine.

Read more here...

Der leige Spieler die eskonde der Geben Arbeitschause in der Laubeitschauf der Geben Geben Verbeitschaus Registert eine entwicken der Schauster der Register der Spieler Geben Geben der State (1997) der Schauster (19 Der georgen gegenstere der der Geben der Spiele der Schausschausen Geben der Geben der State (1997) der Schaus

Distriction is a line in that when the little of the second in the

ingan disenting ang mangkapa panggapang ang kang kang kang pang ang panggapan ing ing panggapan ing panggapan Panggapang panggapanggapan na panggapanggapang kang panggapan na panggapan na panggapan ing panggapan ing pang

rought the speak hower against a single and making collection

The second s

and the relation product of the second product and the second production of the second second second second se

radición magnet ingulares que les a percentar en la properta de mel magneta de desacte de la como estador. Se actual el mente, las al como ser com mente, elemento de mel calente de de la como el mesto de la como el co Los de lengues de la como de la como especia de la como de la como de la como el de la como el como el como el

ATTEMPT OF STATES

nakan kanangan da katangan kanangan da mangan da kanangan da pangan da mangan da mangan da mangan da mangan da Kanangan da mangan d Kanangan da mangan d

PALLE LEGIC COLLEGICACIÓN COLLEGICA DE ACTUAL ANTICIDAD DE COLLEGICA DE COLLEGICA DE COLLEGICA DE COLLEGICA DE LA RECURSOR DE COLLEGICA DE COLLEGICA DE ACTUAL DE COLLEGICA DE COLLEGICA DE COLLEGICA DE COLLEGICA DE COLLEGICA

MARKET SERVICE CONTRACTOR OF THE PROPERTY OF THE SERVICE SERVICES.

this can each can be a storied the and season in the season that the season the season in the season to be a s If while the season is the same the each season the season that the season is the season in the season to be s

postaving vije idajeva piliku prakaj menjekularika. Pra prijeda je bijekom in instruction da pasa distribution Na polici pasajeva idajeva izlika indistrijaje propost indistribution is iz iz vinasti pasa je bio dation dist





Green Monkey DNA Found in Covid-19 Shots

Dr. Joseph Mercola May 31, 2023

STORY AT-A-GLANCE

- Microbiologist Kevin McKernan a former researcher and team leader for the MIT Human Genome project — has discovered massive DNA contamination in the mRNA COVID shots, including simian virus 40 (SV40) promoters
- SV40 has been linked to cancer in humans, including mesotheliomas, lymphomas and cancers of the brain
 and bone. In 2002, the Lancet published evidence linking polio vaccines contaminated with SV40 to NonHodgkin's lymphoma. According to the authors, the vaccine may be responsible for up to 50% of the
 55,000 Non-Hodgkin's lymphoma cases diagnosed each year.
- The level of contamination varies depending on the platform used to measure it, but no matter which
 method is used, the level of DNA contamination is significantly higher than the regulatory limits in both
 Europe and the U.S. The highest level of DNA contamination found was 30%.
- The finding of DNA means the mRNA COVID shots may have the ability to alter the human genome.
- Even if genetic modification does not occur, the fact that you're getting foreign DNA into your cells poses
 a risk in and of itself. Partial expression could occur, or it might interfere with other transcription
 translations that are already in the cell. Cytoplasmic transfection can also allow for genetic manipulation,
 as the nucleus disassembles and exchanges cellular components with the cytosol during cell division.

In the video1 above, Dr. Steven E. Greer interviews microbiologist Kevin McKernan — a former researcher and team leader for the MIT Human Genome project2 — and Dr. Sucharit Bhakdi about the DNA contamination McKernan's team has found in the Pfizer and Moderna mRNA shots.

As it turns out, spike protein and the mRNA are not the only hazards of these injections. McKernan's team have also discovered simian virus 40 (SV40) promoters that, for decades, have been suspected of causing cancer in humans, including mesotheliomas, lymphomas and cancers of the brain and bone.3 The findings4567 were posted on OSF Preprints in early April 2023. As explained in the abstract:8

"Several methods were deployed to assess the nucleic acid composition of four expired vials of the Moderna and Pfizer bivalent mRNA vaccines. Two vials from each vendor were evaluated ... Multiple assays support DNA contamination that exceeds the European Medicines Agency (EMA) 330ng/mg requirement and the FDAs 10ng/dose requirements ..."

As noted by Greer,9 this means that governments and drug companies "have misled the world to a far greater extent than previously known." If these findings are correct, it would also mean that "the so-called 'vaccines' are actually altering the human genome and causing permanent production of the deadly spike protein," and this internal production of spike protein would, in turn, "trigger the immune system to attack its own cells," Greer says.

In the interview, McKernan explains how the DNA contaminants found in the COVID jabs can result in the genetic modification of the human genome, and Bhakti reviews how and why the shots can trigger autoimmune diseases.

Background: What Is SV40

In 2002, the Lancet published 10 evidence linking polio vaccines contaminated with SV40 to Non-Hodgkin's lymphoma. According to the authors, the vaccine may be responsible for up to half the 55,000 Non-Hodgkin's lymphoma cases diagnosed each year.



How did this simian (monkey) virus get into the human population? According to the late Dr. Maurice Hilleman, a leading vaccine developer, Merck inadvertently unleashed the virus via their polio vaccine.11 It's unclear exactly when SV40 was eliminated from the polio vaccine. The timing also varies from country to country. For example, SV40-contaminated polio vaccines were administered in Italy as recently as 1999.12

As reported in a Lancet book review of "The Virus and the Vaccine: The True Story of a Cancer-Causing Money Virus, Contaminated Polio Vaccine and the Millions of Americans Exposed":13

"By 1960, scientists and vaccine manufacturers knew that monkey kidneys were sewers of simian viruses. Such contamination often spoiled cultures, including those of an NIH researcher named Bernice Eddy, who worked on vaccine safety ... Her discovery ... threatened one of the USA's most important public-health programs ...

Eddy tried to get word out to colleagues but was muzzled and stripped of her vaccine regulatory duties and her laboratory ... [Two] Merck researchers, Ben Sweet and Maurice Hilleman, soon identified the rhesus virus later named SV40 — the carcinogenic agent that had eluded Eddy.

In 1963, U.S. authorities decided to switch to African green monkeys, which are not natural hosts of SV40, to produce polio vaccine. In the mid-1970s, after limited epidemiological studies, authorities concluded that although SV40 caused cancer in hamsters, it didn't seem to do so in people.

Fast forward to the 1990s: Michele Carbone, then at NIH, was working on how SV40 induces cancers in animals. One of these was mesothelioma, a rare cancer of the pleura thought in people to be caused mainly by asbestos. The orthodoxy held that SV40 didn't cause human cancers.

Emboldened by a 1992 NEJM paper that found DNA 'footprints' of SV40 in childhood brain tumors, Carbone tested human mesothelioma tumor biopsies at the National Cancer Institute: 60% contained SV40 DNA. In most, the monkey virus was active and producing proteins.

He published his results in Oncogene in May, 1994, but the NIH declined to publicize them ... Carbone ... moved to Loyola University. There he discovered how SV40 disables tumor suppressor genes in human mesothelioma, and published his results in Nature Medicine in July, 1997. Studies in Italy, Germany, and the USA also showed associations between SV40 and human cancers."

mRNA COVID Jabs Contaminated With Double-Stranded DNA

With that background, let's get back to McKernan's findings, which in addition to the featured video are also discussed in Daniel Horowitz's podcast above. In short, his team discovered elevated levels of double-stranded DNA plasmids, including SV40 promoters (DNA sequence that is essential for gene expression) that are known to trigger cancer development when encountering an oncogene (a gene that has the potential to cause cancer).

The level of contamination varies depending on the platform used to measure it, but no matter which method is used, the level of DNA contamination is significantly higher than the regulatory limits in both Europe and the U.S., McKernan says. The highest level of DNA contamination found was 30%, which is rather astounding.

As explained by McKernan, when using a typical PCR test, you'll be considered positive if the test detects the SARS-CoV-2 virus using a cycle threshold (CT) of about 40. In comparison, the DNA contamination is detected at CTs below 20.

That means the contamination is a million-fold greater than the amount of virus you'd need to have in order to test positive for COVID. "So, there's an enormous difference here with regards to the amount of material that's in there," McKernan says.

In his Substack article,14 he also points out that people who argue that double-stranded DNA and viral RNA is a false equivalency because viral RNA is replication competent, are wrong.

"The majority of the sgRNA you are detecting in a nasal swab in your nose is NOT REPLICATION COMPETENT as shown in Jaafar et al.15 It is just an RNA fragment that should have lower longevity in your cells than dsDNA contaminating fragments," he writes.

In that Substack article, McKernan has also copied a 2009 study discussing how DNA in vaccines can cause cancer and highlighted the most relevant parts. It's a helpful resource if you want to learn more.

Quality Control Is Sorely Lacking

As for how SV40 promoters ended up in the mRNA shots, it appears to be related to poor quality control during the manufacturing process, although it's unclear where in the development SV40 might have sneaked in. Quality control deficiencies may also be responsible for the high rate of anaphylactic reactions we've been seeing.

McKernan tells Greer:

"It's in both Moderna and Pfizer. We looked at the bivalent vaccines for both Moderna and Pfizer and only the monovalent vaccines for Pfizer because we didn't have access to monovalent vaccines for Moderna. In all three cases, the vaccines contain double-stranded DNA contamination.

If you sequence that DNA, you'll find that it matches what looks to be an expression vector that's used to make the RNA ... Whenever we see DNA contamination, like from plasmids, ending up in any injectable, the first thing people think about is whether there's any E. coli endotoxin present because that creates anaphylaxis for the injected.

And, of course ... there's a lot of anaphylaxis going on, not only on TV but in the VAERS database. You can see people get injected with this and drop. That could be the background from this E. coli process of manufacturing the DNA ..."

Regulatory Agencies Knew There Was a Contamination Problem

In a May 20, 2023, Substack article,16 McKernan points out that Pfizer itself submitted evidence to the European Medicines Agency (EMA) showing sampled lots contained vast differences in the levels of double-stranded DNA contamination.

The concern that people, even at the FDA, have noted in the past whenever injecting double-stranded DNA, is that these things can integrate into the genome. ~ Kevin McKernan

The arbitrary limit for dsDNA that the EMA came up with was 330 nanograms per milligram (ng/mg). Data submitted to the EMA by Pfizer shows sampled lots had anywhere from 1 ng/mg to 815 ng/mg of DNA. McKernan adds:17

"This limit likely did not consider the potency of this dsDNA contamination if it was packaged in an LNP [lipid nanoparticle]. Packaged dsDNA is more potent as a gene therapy. We now know this DNA is packaged and transfection ready.18 Even lower limits should be applied if the DNA is packaged in transfection ready LNPs ...

Even with Pfizer being able to cherry pick the data they provided to the EMA for 10 lots, they see a 1 to 815ng/mg variance. If you were to expand this study to 100 or 1000 lots, you'd likely see another order or two of magnitude variance."

Double-Stranded DNA May Integrate Into Your Genome

188 V \$10 V FA

The presence of double-stranded DNA also brings up another major concern, and that is the possibility of genomic integration.

"At least on the Pfizer side of things, it has what's known as an SV40 promoter. This is an oncogenic virus piece. It's not the entire virus. However, the small piece is known to drive very aggressive gene expression.

And the concern that people, even at the FDA, have noted in the past whenever injecting double-stranded DNA, is that these things can integrate into the genome," McKernan says.

While McKernan's paper does not present evidence of genome integration, it does point out that it's possible, especially in the presence of SV40 promoters:19

"There has been a healthy debate about the capacity for SARs-CoV-2 to integrate into the human genome ... This work has inspired questions regarding the capacity for the mRNA vaccines to also genome integrate. Such an event would require LINE-1 driven reverse transcription of the mRNA into DNA as described by Alden et al.

dsDNA [double-stranded DNA] contamination of sequence encoding the spike protein wouldn't require LINE-1 for Reverse Transcription and the presence of an SV40 nuclear localization signal in Pfizer's vaccine vector would further increase the odds of integration."

Manifold Risks

That said, even if genetic modification does not occur, the fact that you're getting foreign DNA into your cells poses a risk in and of itself, McKernan says. For example, partial expression could occur, or it might interfere with other transcription translations that are already in the cell.

Bhakti also points out that the SV40 promoters do not need to be present in the nucleus of the cell for problems to occur. Cytoplasmic transfection can, in and of itself, allow for genetic manipulation, because the nucleus disassembles and exchanges cellular components with the cytosol during cell division.

In addition to having DNA floating around and causing potential problems, the RNA in the COVID jab is also modified to resist breakdown. "So, we have TWO versions of the spike protein floating around that can persist longer than anticipated," McKernan says, and the spike protein, of course, is the most toxic part of the virus that can cause your body to attack itself.

Both McKernan and Bhakti are adamant that ALL mRNA "vaccines" must be immediately stopped, whether for human or animal use, due to the magnitude of the risks involved.

'Alarming Problems'

In the video above, 20 Yusuke Murakami, a professor at Tokyo University, expresses alarm over the finding of SV40 promoters in the COVID jabs. The interview is in Japanese but has English subtitles. I've included it because I think he does a good job of putting the problem into layman's terms:

"The Pfizer vaccine has a staggering problem," Murakami says. "This figure is an enlarged view of Pfizer's vaccine sequence. As you can see, the Pfizer vaccine sequence contains part of the SV40 sequence here. This sequence is known as a promoter.

Roughly speaking, the promoter causes increased expression of the gene. The problem is that the sequence is present in a well-known carcinogenic virus. The question is why such a sequence that is derived from a cancer virus is present in Pfizer's vaccine.

There should be absolutely no need for such a carcinogenic virus sequence in the vaccine. This sequence is totally unnecessary for producing the mRNA vaccine. It is a problem that such a sequence is solidly contained in the vaccine.

This is not the only problem. If a sequence like this is present in the DNA, the DNA is easily migrated to the nucleus. So, it means that the DNA can easily enter the genome. This is such an alarming problem.



It is essential to remove the sequence. However, Pfizer produced the vaccine without removing the sequence. That is outrageously malicious. This kind of promoter sequence is completely unnecessary for the production of the mRNA vaccine. In fact, SV40 is a promoter of cancer viruses."

Resources for Those Injured by the COVID Jab

The more we learn about the COVID jabs, the worse they appear. While they suck as vaccines, they're truly masterful bioweapons, as they're capable of destroying health in any number of ways, through myriad mechanisms.

If you got one or more jabs and are now reconsidering, first and foremost, never ever take another COVID booster, another mRNA gene therapy shot or regular vaccine. You need to end the assault on your body. Even if you haven't experienced any obvious side effects, your health may still be impacted long-term, so don't take any more shots.

If you're suffering from side effects, your first order of business is to eliminate the spike protein that your body is producing. Two remedies that can do this are hydroxychloroquine and ivermectin. Both of these drugs bind and facilitate the removal of spike protein.

The Front Line COVID-19 Critical Care Alliance (FLCCC) has developed a post-vaccine treatment protocol called I-RECOVER. Since the protocol is continuously updated as more data become available, your best bet is to download the latest version straight from the FLCCC website at covid19criticalcare.com21 (hyperlink to the correct page provided above).

For additional suggestions, check out the World Health Council's spike protein detox guide,22 which focuses on natural substances like herbs, supplements and teas. To combat neurotoxic effects of spike protein, a March 2022 review paper23 suggests using luteolin and quercetin. Time-restricted eating (TRE) and/or sauna therapy can also help eliminate toxic proteins by stimulating autophagy.



SV40 DNA Found In Pfizer Covid Shots Proven To Cause Cancer

Patrick Webb July 7, 2023

There are other factors at play in addition to the spike protein and mRNA. The covid injections from Pfizer and Moderna both contain SV40 promoters and have DNA contamination.

Microbiologist Kevin McKernan pioneered research on testing some of the covid vaccine vials and discovered unacceptable levels of double-stranded DNA plasmids floating around. This is DNA contamination. He found the contamination in Pfizer and Moderna vials.

During an <u>interview with Peter Sweden</u>, Sasha Latypova said that DNA contamination is "a huge problem because this is replication competent plasmid, it can then invade human cells, it can invade the bacterial cells that live in your gut. So, they go into the bacteria they replicate there, they replicate antibiotic-resistant genes...it can cause sepsis, it can cause cancer, all sorts of issues."

The World Council for Health ("WCH") stated that a red line has been crossed. "DNA contamination of mRNA 'vaccines' poses a risk to everyone on the planet," WCH said. "Replicable DNA, so-called plasmids, in both the monovalent and bivalent vaccines, which should not be there at all ... We can only speculate how it will end, but what needs to happen today after the publication of the paper by McKernan et al (2023) is an immediate stop of the 'covid-19 vaccine' program."

In Pfizer's mRNA injection, McKernan also discovered Simian Virus 40 ("SV40") promoters which are tied to cancer development in humans. He emphasised that the SV40 found is a viral piece, it is not the whole virus. However, it still presents a risk of driving cancer.

SV40 or <u>Simian Virus 40</u> was the 40th virus found in rhesus monkey kidney cells when these cells were used to make the polio vaccine. This virus contaminated both the inactivated polio vaccine ("IPV") and the oral or "live" polio vaccine ("OPV") developed by Dr. Albert Sabin. When it was discovered that SV40 was an animal carcinogen that had found its way into the polio vaccines, <u>a federal law was passed in 1961</u> that required that no vaccines contain this virus.

<u>Kanekoa The Great tweeted</u> two audio/video transcripts. One of a recent interview with McKernan explaining his discoveries and another of a Japanese professor expressing his concerns about these discoveries.

DNA Contamination and SV40 Discovered

McKernan joined Conservative Review with Daniel Horowitz on Friday to warn that there is no quality control in the manufacturing process of these vaccines. If his findings turn out to be widespread, it could portend an even greater risk for anaphylaxis, blood clotting, developing resistance to antibiotics, gene integration risk, and long-term production of spike protein within the body. You can listen to an audio of the interview on Apple podcasts HERE.

During the interview, McKernan said:

"It's in both Moderna and Pfizer. We looked at the bivalent vaccines for both Moderna and Pfizer and only the monovalent vaccines for Pfizer because we didn't have access to monovalent vaccines for Moderna. In all three cases, the vaccines contain double-stranded DNA contamination. If you sequence that DNA, you'll find that it matches what looks to be an expression vector that's used to make the RNA...

"Whenever we see DNA contamination, like from plasmids, ending up in any injectable, the first thing people think about is whether there's any E. coli endotoxin present because that creates anaphylaxis for the injected. And, of course, your viewers and listeners are probably aware there's a lot of anaphylaxis going on, not only on TV but in the VAERS database. You can see people get injected with this and drop. That could be the background from this E. coli process of manufacturing the DNA...

"At least on the Pfizer side of things, it has what's known as an SV40 promoter. This is an oncogenic virus piece. It's not the entire virus. However, the small piece is known to drive very aggressive gene expression. And the concern that people, even at the FDA, have noted in the past whenever injecting double-stranded DNA is that these things can then integrate into the genome. If you're not careful with how you manufacture these things, and you have excess amounts of this DNA, your concern for genome integration goes up...

"If you get an SV40 promoter in front of an oncogene, you will end up with a high expression of a gene that can drive cancer, it will be a very rare event, but you don't need many of these cells to be hit with something like this for it to take off. SV40 actually plagued, granted it was the full viral genome, not just the promoter, but this has plagued previous vaccine programs.

k a sakikikiti beber dewis akesasi indi. Besiki alike ketabe kisasi besa kewada ina 1.4 sebagi dan da

14-5



The polio vaccine is one of them that they were concerned that this may have contributed to cancer from that vaccine. So, there's a history of being concerned over SV40.

"Having the promoter inside some of these vectors isn't necessary. It seems to be superfluous oversight they could have eliminated, yet it's still there because they ran this out the door so quickly, they didn't really have time to get rid of superfluous parts of the plasmid. So, that piece of DNA is something we really need to pay attention to. We've made quantitative PCR assays to hunt for this. So several researchers around the globe are now running these assays to look for how much of this DNA is floating around after people have been vaccinated."

Further reading:

- Sequencing the Pfizer monovalent mRNA vaccines also reveals dual copy 72-bp SV40 Promoter, Anandamide (Kevin McKernan), 12 April 2023
- dsDNA variance in Pfizer Docs, Anandamide (Kevin McKernan), 20 May 2023
- McKernan, K., Helbert, Y., Kane, L. T., & McLaughlin, S. (2023, April 10). Sequencing of bivalent Moderna and Pfizer mRNA vaccines reveals nanogram to microgram quantities of expression vector dsDNA per dose. https://doi.org/10.31219/osf.io/b9t7m

Plasmid DNA is a Known Pfizer Ingredient – NOT a Contaminant, Karen Kingston, 14 April 2023

Japanese Professor Expresses Concern

Japanese Professor Murakami of Tokyo University expressed his concerns over the alarming discovery of SV40 promoters McKernan had made. He said:

"The Pfizer vaccine has a staggering problem. I have made an amazing finding. This figure is an enlarged view of Pfizer's vaccine sequence. As you can see, the Pfizer vaccine sequence contains part of the SV40 sequence here. This sequence is known as a promoter. Roughly speaking, the promoter causes increased expression of the gene. The problem is that the sequence is present in a well-known carcinogenic virus.

"The question is why such a sequence that is derived from a cancer virus is present in Pfizer's vaccine. There should be absolutely no need for such a carcinogenic virus sequence in the vaccine. This sequence is totally unnecessary for producing the mRNA vaccine. It is a problem that such a sequence is solidly contained in the vaccine. This is not the only problem. If a sequence like this is present in the DNA, the DNA is easily migrated to the nucleus.

"So, it means that the DNA can easily enter the genome. This is such an alarming problem. It is essential to remove the sequence. However, Pfizer produced the vaccine without removing the sequence. That is outrageously malicious. This kind of promoter sequence is completely unnecessary for the production of the mRNA vaccine. In fact, SV40 is a promoter of cancer viruses."

SOURCE: https://t.co/oeefmdLKrM



DNA contamination and cancer-causing agent SV40 found in Pfizer's covid injections

RHODA WILSON MAY 21, 2023

It's not just the spike protein and the mRNA that are a problem. Both Pfizer and Moderna covid injections also have DNA contamination and Pfizer's covid injection contains SV40 promoters.

Microbiologist Kevin McKernan pioneered research on testing some of the covid vaccine vials and discovered unacceptable levels of double-stranded DNA plasmids floating around. This is DNA contamination. He found the contamination in Pfizer and Moderna vials.

During an <u>interview with Peter Sweden</u>, Sasha Latypova said that DNA contamination is "a huge problem because this is replication competent plasmid, it can then invade human cells, it can invade the bacterial cells that live in your gut. So, they go into the bacteria they replicate there, they replicate antibiotic-resistant genes...it can cause sepsis, it can cause cancer, all sorts of issues."

The <u>World Council for Health</u> ("WCH") stated that a red line has been crossed. "DNA contamination of mRNA 'vaccines' poses a risk to everyone on the planet," <u>WCH said</u>. "Replicable DNA, so-called plasmids, in both the monovalent and bivalent vaccines, which should not be there at all ... We can only speculate how it will end, but what needs to happen today after the publication of the paper by <u>McKernan et al (2023)</u> is an immediate stop of the 'covid-19 vaccine' program."

In Pfizer's mRNA injection, McKernan also discovered Simian Virus 40 ("SV40") promoters which are tied to cancer development in humans. He emphasised that the SV40 found is a viral piece, it is not the whole virus. However, it still presents a risk of driving cancer.

SV40 or <u>Simian Virus 40</u> was the 40th virus found in rhesus monkey kidney cells when these cells were used to make the polio vaccine. This virus contaminated both the inactivated polio vaccine ("IPV") and the oral or "live" polio vaccine ("OPV") developed by Dr. Albert Sabin. When it was discovered that SV40 was an animal carcinogen that had found its way into the polio vaccines, a federal law was passed in 1961 that required that no vaccines contain this virus.

<u>Kanekoa The Great tweeted</u> two audio/video transcripts. One of a recent interview with McKernan explaining his discoveries and another of a Japanese professor expressing his concerns about these discoveries. We have republished these transcripts below.

DNA Contamination and SV40 Discovered

McKernan joined *Conservative Review with Daniel Horowitz* on Friday to warn that there is no quality control in the manufacturing process of these vaccines. If his findings turn out to be widespread, it could portend an even greater risk for anaphylaxis, blood clotting, developing resistance to antibiotics, gene integration risk, and long-term production of spike protein within the body. You can listen to an audio of the interview on Apple podcasts HERE.

During the interview, McKernan said:

"It's in both Moderna and Pfizer. We looked at the bivalent vaccines for both Moderna and Pfizer and only the monovalent vaccines for Pfizer because we didn't have access to monovalent vaccines for Moderna. In all three cases, the vaccines contain double-stranded DNA contamination. If you sequence that DNA, you'll find that it matches what looks to be an expression vector that's used to make the RNA...

"Whenever we see DNA contamination, like from plasmids, ending up in any injectable, the first thing people think about is whether there's any E. coll endotoxin present because that creates anaphylaxis for the injected. And, of course, your viewers and listeners are probably aware there's a lot of anaphylaxis going on, not only on TV but in the VAERS database. You can see people get injected with this and drop. That could be the background from this E. coli process of manufacturing the DNA...

"At least on the Pfizer side of things, it has what's known as an SV40 promoter. This is an oncogenic virus piece. It's not the entire virus. However, the small piece is known to drive very aggressive gene expression. And the concern that people, even at the FDA, have noted in the past whenever injecting double-stranded DNA is that these things can then integrate into the

The same of the sa



genome. If you're not careful with how you manufacture these things, and you have excess amounts of this DNA, your concern for genome integration goes up...

"if you get an SV40 promoter in front of an oncogene, you will end up with a high expression of a gene that can drive cancer, it will be a very rare event, but you don't need many of these cells to be hit with something like this for it to take off. SV40 actually plagued, granted it was the full viral genome, not just the promoter, but this has plagued previous vaccine programs. The polio vaccine is one of them that they were concerned that this may have contributed to cancer from that vaccine. So, there's a history of being concerned over SV40.

"Having the promoter inside some of these vectors isn't necessary. It seems to be superfluous oversight they could have eliminated, yet it's still there because they ran this out the door so quickly, they didn't really have time to get rid of superfluous parts of the plasmid. So, that piece of DNA is something we really need to pay attention to. We've made quantitative PCR assays to hunt for this. So several researchers around the globe are now running these assays to look for how much of this DNA is floating around after people have been vaccinated."

Further reading:

- Sequencing the Pfizer monovalent mRNA vaccines also reveals dual copy 72-bp SV40 Promoter, Anandamide (Kevin McKernan), 12 April 2023
- dsDNA variance in Pfizer Docs, Anandamide (Kevin McKernan), 20 May 2023
- McKernan, K., Helbert, Y., Kane, L. T., & McLaughlin, S. (2023, April 10). Sequencing of bivalent Moderna and Pfizer mRNA vaccines reveals nanogram to microgram quantities of expression vector dsDNA per dose. https://doi.org/10.31219/osf.io/b9t7m

Plasmid DNA is a Known Pfizer Ingredient — NOT a Contaminant, Karen Kingston, 14 April 2023

Japanese Professor Expresses Concern

Japanese Professor Murakami of Tokyo University expressed his concerns over the alarming discovery of SV40 promoters McKernan had made. He said:

"The Pfizer vaccine has a staggering problem. I have made an amazing finding. This figure is an enlarged view of Pfizer's vaccine sequence. As you can see, the Pfizer vaccine sequence contains part of the SV40 sequence here. This sequence is known as a promoter. Roughly speaking, the promoter causes increased expression of the gene. The problem is that the sequence is present in a well-known carcinogenic virus.

"The question is why such a sequence that is derived from a cancer virus is present in Pfizer's vaccine. There should be absolutely no need for such a carcinogenic virus sequence in the vaccine. This sequence is totally unnecessary for producing the mRNA vaccine. It is a problem that such a sequence is solidly contained in the vaccine. This is not the only problem. If a sequence like this is present in the DNA, the DNA is easily migrated to the nucleus.

"So, it means that the DNA can easily enter the genome. This is such an alarming problem. It is essential to remove the sequence. However, Pfizer produced the vaccine without removing the sequence. That is outrageously malicious. This kind of promoter sequence is completely unnecessary for the production of the mRNA vaccine. In fact, SV40 is a promoter of cancer viruses."



Sequencing of bivalent Moderna and Pfizer mRNA vaccines reveals nanogram to microgram quantities of expression vector dsDNA per dose

Published April 9, 2023 Entire 23 page study document is available at https://osf.io/b9t7m/ Kevin McKernan, Yvonne Helbert, Liam T. Kane, Stephen McLaughlin Medicinal Genomics, 100 Cummings Center, Suite 406-L, Beverly Mass, 01915

Several methods were deployed to assess the nucleic acid composition of four expired vials of the Moderna and Pfizer bivalent mRNA vaccines. Two vials from each vendor were evaluated with Illumina sequencing, qPCR, RT-qPCR, Qubit™ 3 fluorometry and Agilent Tape Station™ electrophoresis. Multiple assays support DNA contamination that exceeds the European Medicines Agency (EMA) 330ng/mg requirement and the FDAs 10ng/dose requirements. These data may impact the surveillance of vaccine mRNA in breast milk or plasma as RT-qPCR assays targeting the vaccine mRNA cannot discern DNA from RNA without RNase or DNase nuclease treatments. Likewise, studies evaluating the reverse transcriptase activity of LINE-1 and vaccine mRNA will need to account for the high levels of DNA contamination in the vaccines. The exact ratio of linear fragmented DNA versus intact circular plasmid DNA is still being investigated. Quantitative PCR assays used to track the DNA contamination are described.

Introduction

Several studies have made note of prolonged presence of vaccine mRNA in breast milk and plasma (Bansal et al. 2021; Hanna et al. 2022; Castruita et al. 2023). This could be the result of the stability of N1-methylpseudouridine (m1 Ψ) in the mRNA of the vaccine. Nance *et al.* depict a vaccine mRNA synthesis method that utilizes a dsDNA plasmid that is first amplified in *E.coli* prior to an *in-vitro* T7 polymerase synthesis of vaccine mRNA (Nance and Meier 2021). Failure to remove this DNA could result in the injection of spike encoded nucleic acids more stable than the modified RNA. The EMA has stated limits at 330ng/mg of DNA to RNA (Josephson 2020-11-19). The FDA has issued guidance for under 10ng/dose in vaccines (Sheng-Fowler et al. 2009). Residual injected DNA can result in type I interferon responses and can increase the potential for DNA integration (Ulrich-Lewis et al. 2022).

Results

To assess the nucleic acid composition of the vaccines, vaccine DNA was deeply sequenced using two different methods. The first method used a commercially available New England Biolabs RNA-seq method that favored the sequencing of the RNA but still presented over 500X coverage for the unanticipated DNA vectors (Figure 1 and 2). The RNA-seq assemblies had truncated poly A tracts compared to the constructs described by Nance *et al*. The second method eliminated the RNA with RNase A treatment and sequenced only the DNA using a Watchmaker Genomics fragment library kit. The DNA focused assemblies delivered vector assemblies with more intact poly A tracts (Figure 3).

These assemblies were utilized to design multiplex qPCR and RT-qPCR assays that target the spike sequence present in both the vaccine mRNA and the DNA vector while also targeting the

origin of replication sequence present only in the DNA vector (Figure 3). The assembly of Pfizer vial 1 contains a 72bp insertion not present in the assembly of Pfizer vial 2. This indel is known for its enhancement to the SV40 promoter and its nuclear localization signal (Dean et al. 1999) (Moreau et al. 1981).




Figure 1. A Moderna vector assembly of an RNA-seq library with a spike insert (red), Kanamycin resistance gene (green) driven by an AmpR promoter and a high copy bacterial origin of replication (yellow).




Figure 2. Pfizer bivalent vaccine assembly of the RNA-seq library. Annotated with SEB/FCS, spike insert (red), bacterial origin of replication (yellow), Neo/Kan resistance gene(green), F1 origin (yellow) and an SV40 promoter (yellow and white).



Dr. Peter McCullough: mRNA "Vaccines" Contain Tumor Gene Promoter SV40 and Inhibit Tumor Suppressors

BELLE CARTER, NATURAL NEWS July 23, 2023

Renowned American cardiologist Dr. Peter McCullough recently warned against the mRNA Wuhan coronavirus (COVID-19) vaccines when he appeared on a *Brighteon.TV* show, as they were found not only to contain a cancer-promoting virus, they are also weaponized to inhibit tumor suppressor genes:

A <u>preprint study</u> done by microbiologist Kevin McKernan came out amid news on skyrocketing cancer cases worldwide. It concluded that copy DNA or complementary DNA (cDNA), is coming off of Escherichia coli (E. coli) as part of the manufacturing cDNA is found in high concentrations contaminating these vials.

"And Jeff, you can't believe it. But you know, <u>one of the sequences is SV40</u> [simian vacuolating virus 40], which is a known tumor gene promoter," McCullough told "Prather Point" host Jeffrey Prather. "To make matters worse, you can't believe that spike protein is produced in abundance." He went on to say that the S1 and S2 segments look like they interfere with two tumor suppressor systems, the p53 tumor suppressor protein and BRCA, or the BReast CAncer gene.

This just means that "our ability to keep cancer cells in check is lost," the esteemed doctor explained. "So, we have a situation now, which is the data started coming together, these messenger RNA shots promote cancers and inhibit their immune suppression.

He believes, even though it's not conclusive, that these <u>vaccines are causing the surge in cancer cases</u> across the world. "However, there's no other explanation that in every country that is mass vaccinated, the rates are skyrocketing," McCullough said. (Related: <u>DIRTY SHOTS: DNA contamination and cancer-causing agent SV40 found in mRNA vaccines.</u>)

The most recent finding is clearly possible especially since studies, research, and a lot of probes have proven that spike is the most pathogenic protein in history. It was found to damage the heart and brain, and cause blood clots, as well as other damage. "The messenger RNA causes heart damage via the spike protein, neurologic damage like stroke and intracranial hemorrhage, neuropathy, Guillain-Barre syndrome (GBS) and proven to cause blood clotting. The spike protein is found in blood clots larger than we've ever seen before, not responsive to blood thinners and they don't seem to dissolve. And then lastly, immunologic problems like multi-system inflammatory disorder," he said.

The heart doctor emphasized how important it is to discuss these issues since 75 percent of Americans took a shot and in the United States, 94 percent of the jab-takers took the mRNA vaccines.

McCullough has been a persistent voice in encouraging against the mRNA vaccines since they started being rolled out. On "One America News," he challenged scientist and pediatrician Dr. Peter Hotez to <u>debate about the dangers of the injections</u>. "Debate is really part of scientific advancement. I communicated with Joe Rogan over the weekend. Remember, I had been on his show in 2021 and I set all the records for views there. I have more citations in the *National Science in Medicine* than Hotez. I am a bit senior to him academically, but I would be happy to go on Rogan with Hotez and just sit down as two academic doctors and review the safety data on the vaccines," he said.

Back in June, podcaster Joe Rogan set off a Twitter storm after he challenged Hotez to debate presidential candidate Robert F. Kennedy Jr. McCullough volunteered to face the vaccine scientist as Kennedy could be busy in his campaign. "Robert F. Kennedy is doing a terrific job but he is not a doctor, he is running for president. I think he can focus on his presidential campaign and let me and others in the world of high academics work this out. I think America would benefit greatly from a scientific interchange," he said.

He, as always, stressed that the bottom line is that the <u>vaccines aren't safe</u> as there has been unprecedented injuries, disabilities, and even death.

"No vaccine proponent is going to want to discuss the data. So, they are going to want to dodge that every time. On top of that, you know Hotez, he has 2016 National Institute of Health grants on gain of function research on SARS-CV-2 receptor binding domain for vaccines as bio-defense articles," he disclosed and added that currently, he was doing research with doctors from China. "So, what was Hortez doing with SARS-CV-2 research in 2016 in China?" he inquired.

parting the manual equal parting of the later of the second control of the contro

Watch the full July 14 episode of "Prather Point" with Jeffrey Prather featuring Dr. Peter McCullough below. Catch new episodes of the program every Friday at 10:00 a.m. on Brighteon.TV.